

L55	3	((stop\$5 or exit\$5 or terminat\$5 or abort\$5) near3 condition near5 interpolat\$5 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 20:23
L56	11	((stop\$5 or exit\$5 or terminat\$5 or abort\$5) near3 condition with interpolat\$5 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 20:24
L57	25	((stop\$5 or exit\$5 or terminat\$5 or abort\$5) near3 condition with calculat\$5 ) and (calculat\$5 with interpolat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 20:27
L58	968	((stop\$5 or exit\$5 or terminat\$5 or abort\$5) with calculat\$5 ) and (calculat\$5 with interpolat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 20:27
L59	24	58 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 20:30
L60	7	59 and (rank\$5 or sort\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 20:30

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	(interpolat\$5 near3 (order\$5 or sort\$5)) and ((multi adj2 dimension\$5) near4 interpolat\$5 with color)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 18:30
L2	0	1 and (fraction\$5 with (equal\$5 or equival\$5 or "same" or identical\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 18:30
L3	243	(interpolat\$5 near5 (order\$5 or sort\$5)) and (fraction\$5 with (equal\$5 or "same" or identical\$5 or equival\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 18:34
L4	48	3 and ((sort\$5 or order\$5 or rank\$5) near5 fraction\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 18:31
L5	4	4 and (color with interpolat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 18:32
L6	2	4 and (corner with interpolat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 18:34
L7	1050	(interpolat\$5 near5 (order\$5 or sort\$5)) and ((component or fraction\$5) near4 (equal\$5 or "same" or identical\$5 or equival\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 18:36
L8	0	7 and ((corner with interpolat\$5) same ((fraction\$5 or component) near4 (equal or "same" or identical\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 18:35
L9	0	((corner with interpolat\$5) same ((fraction\$5 or component) near4 (equal or "same" or identical\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 18:35
L10	69	((corner with interpolat\$5) and ((fraction\$5 or component) near4 (equal or "same" or identical\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 18:35

L12	30	10 and (color near5 interpolat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 18:36
L13	920	(interpolat\$5 near5 (order\$5 or sort\$5)) and ((combin\$5 or simultan\$6 or concurren\$6) near4 interpolat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 18:40
L14	359	13 and ((component or fraction\$5) near5 (determin\$5 or comput\$5 or isolat\$5 or calculat\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 18:37
L15	45	14 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 18:38
L16	149	(interpolat\$5 near5 (order\$5 or sort\$5)) and (((combin\$5 or simultan\$6 or concurren\$6) near4 interpolat\$5) same (component or fraction\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 18:43
L17	23	16 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 18:40
L18	38	((combin\$5 or simultan\$6 or concurren\$6) near4 interpolat\$5) same ((component or fraction\$5) near4 (equal or "same" or identical\$5 or equival\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 18:43
L19	10	18 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 18:48
L20	0	"5678033".pn. and (component with (equal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 18:48
L21	1	"5678033".pn. and ((equal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 18:49
L22	0	"5678033".pn. and ((simultan\$5 or concurr\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 18:49

L23	1	"5678033".pn. and ((simultan\$6 or concurr\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 19:12
L24	1	"5872902".pn. and (fraction\$5 with zero)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 19:13
L25	0	"5872902".pn. and ((stop\$5 or abort\$5 or interrupt\$5 or terminat\$5) near\$5 interpolat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 19:13
L26	0	"5872902".pn. and ((stop\$5 or abort\$5 or interrupt\$5 or terminat\$5) same interpolat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 19:13
L27	0	"5872902".pn. and ((stop\$5 or abort\$5 or interrupt\$5 or terminat\$5) same calculat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 19:14
L28	20	((stop\$5 or abort\$5 or interrupt\$5 or terminat\$5) same interpolat\$5 same ((fraction\$5 or component) with (zero or "0")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 19:17
L29	4	28 and (rank\$5 or sort\$5 or ordered or ordering)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 19:18
L30	206	((stop\$5 or abort\$5 or interrupt\$5 or terminat\$5) same (calculat\$5 or interpolat\$5) same ((fraction\$5 or component) with (zero or "0")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 19:23
L31	20	30 and ((rank\$5 or sort\$5 or ordered or ordering) same (component or fraction\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 19:19
L32	1	31 and (color with interpolat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 19:20
L33	300	((stop\$5 or abort\$5 or interrupt\$5 or terminat\$5 or halt\$5 or exit\$5 or break\$5) same (calculat\$5 or interpolat\$5) same ((fraction\$5 or component) with (zero or "0")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 19:21

L34	8	33 and (color with interpolat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 19:21
L35	3	(color near5 interpolat\$5) and (interpolat\$5 with calculat\$5) and (terminat\$5 near3 condition)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 19:24
L36	14	(color near5 interpolat\$5) and (interpolat\$5 with calculat\$5) and ((end\$5 or exit\$5 or break\$5 or abort\$5 or terminat\$5) near3 condition)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 19:33
L37	356	(interpolat\$5 with calculat\$5) and ((end\$5 or exit\$5 or break\$5 or abort\$5 or terminat\$5) near3 condition)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 19:33
L38	1	(interpolat\$5 with calculat\$5) and (((end\$5 or exit\$5 or break\$5 or abort\$5 or terminat\$5) near3 condition) same ((component or fraction\$5 or contribut\$5) near3 (zero or "0" or null or nil or nothing)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 19:41
L39	1	(interpolat\$5 with calculat\$5) and (((end\$5 or exit\$5 or break\$5 or abort\$5 or terminat\$5) near3 condition) same ((component or fraction\$5 or contribut\$5) near5 (zero or "0" or null or nil or nothing)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 19:42
L40	93	(interpolat\$5 with calculat\$5) and (((end\$5 or exit\$5 or break\$5 or abort\$5 or terminat\$5) near3 condition) same ( (zero or "0" or null or nil or nothing)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 19:46
L41	29	(interpolat\$5 with calculat\$5) and (((end\$5 or exit\$5 or break\$5 or abort\$5 or terminat\$5) near3 condition) with ( (zero or "0" or "0. 0" or null or nil or nothing)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 19:48
L42	2	41 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 19:48
L43	2001	(interpolat\$5 with calculat\$5) and (((end\$5 or exit\$5 or break\$5 or abort\$5 or terminat\$5) ) with ( (zero or "0" or "0.0" or null or nil or nothing)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 19:48

L44	96	43 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 19:49
L45	32	44 and ((rank\$5 or ordering or ordered or sort\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 20:10
L46	185	interpolat\$5 and ((determin\$5 or calculat\$6) near4 (component) near3 input\$5) and ((rank\$4 or sort\$5 or order\$5) near4 (component))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 20:16
L47	0	46 and ((terminat\$5 or exit\$5 or stop\$5 or abort\$5 or end\$5 or break\$5) near5 (component) near3 (zero or "0" or "0.0"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 20:12
L48	0	46 and ((terminat\$5 or exit\$5 or stop\$5 or abort\$5 or end\$5 or break\$5) near5 (component) with (zero or "0" or "0.0"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 20:13
L49	0	46 and ((terminat\$5 or exit\$5 or stop\$5 or abort\$5 or end\$5 or break\$5) near5 (component or fraction\$5) with (zero or "0" or "0.0"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 20:13
L50	107	46 and ((terminat\$5 or exit\$5 or stop\$5 or abort\$5 or end\$5 or break\$5) with (zero or "0" or "0.0"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 20:16
L51	79	46 and (((terminat\$5 or exit\$5 or stop\$5 or abort\$5 or end\$5 or break\$5) with (zero or "0" or "0.0")) same component)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 20:14
L52	1546	interpolat\$5 and ((determin\$5 or calculat\$6 ) near4 (component) ) and ((rank\$4 or sort\$5 or order\$5) near4 (component))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 20:16
L53	47	52 and ((terminat\$5 or exit\$5 or stop\$5 or abort\$5 or end\$5 or break\$5) with component with (zero or "0" or "0.0"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 20:22
L54	0	((stop\$5 or exit\$5 or terminat\$5 or abort\$5) near3 condition near5 interpolat\$5 near3 calculat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 20:23